

**JAWAHAR NAVODAYA VIDYALAYA, CHIKKAJOGIHALLI. KUDLIGI TQ. BELLARY DIST
TENDER FORM FOR M& R ITEMS & PLUMBING ITEMS FOR 2016-2017**

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
1	FAN REWINDING						
2	FAN CAPACITORS						
3	FAN BEARINGS						
4	FAN CLAMPS						
5	FAN REGULATORS	USHA					
6	FAN REGULATORS	CROPTON					
7	FAN REGULATORS	BAJAJ					
8	FAN REGULATORS	RALLI					
9	TUBES	PHILIPS			40 W		
		CROMPTON			40 W		
					25 W		
		PHILIPS			40 W		
					60 W		
					0 W		
10	BULBS				25 W		
		CROMPTON			40 W		
					60 W		
					0 W		
11	STARTERS	PHILIPS					
		Mysore					
		CORMPTON					
12	TUBE LIGHT FITTINGS	PHILIPS			ONE SET		
		Mysore			ONE SET		
		CROMPTON			ONE SET		
13	SIDE HOLDERS						
14	STARTER BASE	PHILIPS					
15	CHOWKS	PHILIPS			HEAVY DUTY		
		Mysore			COPPER		
		CROMPTON					
16	CHOWKS S.T.P	PHILIPS			HEAVY DUTY		
		CROMPTON					
17	125 M.V. CHOWKS	PHILIPS					
		CROMPTON					
18	STREET LIGHT FITTINGS 125 M.V	PHILIPS			125 M.V.		
		Mysore			125 M.V.		
		CROMPTON			125 M.V.		
19	STREET TUBE LIGHT FITTING SET	CONCRETE POLE					
20	125 M.V. BULBS	PHILIPS					
		Mysore					
		CROMPTON					
21	SWITHCES - 6 AMPS	CONA		ANCHOR		SURYA	
22	SWITHCES - 15 AMPS	CONA		ANCHOR		SURYA	
23	SOCKETS -6 AMPS	CONA		ANCHOR		SURYA	
24	SOCKETS -15 AMPS	CONA		ANCHOR		SURYA	
25	MCB-SINGLE POLE 10 AMPS	CONA		ANCHOR		SURYA	
26	MCB-SINGLE POLE 16 AMPS	CONA		ANCHOR		SURYA	
27	MCB-SINGPLE POLE 20 AMPS	CONA		ANCHOR		SURYA	
28	MCB-2 POLE 10 AMPS	CONA		ANCHOR		SURYA	
29	MCB-2 POLE 16 AMPS	CONA		ANCHOR		SURYA	
30	MCB-2 POLE 20 AMPS	CONA		ANCHOR		SURYA	
31	MCB-3 POLE 36 AMPS	CONA		ANCHOR		SURYA	
32	MCB-3 POLE 40 AMPS	CONA		ANCHOR		SURYA	
33	MCB-3 POLE 20 AMPS	CONA		ANCHOR		SURYA	
34	MCB-3 POLE 60 AMPS	CONA		ANCHOR		SURYA	
35	MCB-4 POLE 40 AMPS	CONA		ANCHOR		SURYA	
36	MCB-4 POLE 60 AMPS	CONA		ANCHOR		SURYA	
37	FUSE CARRIERS 10 AMPS -SINGLE PIECE	CONA		ANCHOR		SURYA	
38	FUSE CARRIERS 16 AMPS - SINGPLE PIECE	CONA		ANCHOR		SURYA	
39	FUSE CARRIERS 20 AMPS - SINGLE PIECE	CONA		ANCHOR		SURYA	

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
40	FUSE CARRIERS 32 AMPS - SINGLE PIECE	CONA		ANCHOR		SURYA	
41	FUSE CARRIERS 42 AMPS - SINGLE PIECE	CONA		ANCHOR		SURYA	
42	FUSE CARRIERS 63 AMPS - SINGLE PIECE	CONA		ANCHOR		SURYA	
43	FUSE CARRIERS 10 AMPS -THREE PIECE	CONA		ANCHOR		SURYA	
44	FUSE CARRIERS 16 AMPS - THREE PIECE	CONA		ANCHOR		SURYA	
45	FUSE CARRIERS 20 AMPS - THREE PIECE	CONA		ANCHOR		SURYA	
46	FUSE CARRIERS 32 AMPS - THREE PIECE	CONA		ANCHOR		SURYA	
47	FUSE CARRIERS 42 AMPS - THREE PIECE	CONA		ANCHOR		SURYA	
48	FUSE CARRIERS 63 AMPS - THREE PIECE	CONA		ANCHOR		SURYA	
49	MAIN SWITCHES - 40 AMPS	CONA		ANCHOR		SURYA	
50	REVERSE GEAR SWITCH- 16/32 AMPS	CONA		ANCHOR		SURYA	
51	REVERSE GEAR SWITCH- 32/63 AMPS	CONA		ANCHOR		SURYA	
52	G.I. COLLORS - ISI MARK				1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
53	G.I. ELBOW - ISI MARK				2" Heavy		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
54	G I PLUG - ISI MARK				1.1/2"		
					2" Heavy		
					1/2"		
					3/4"		
					1"		
55	G.I. BEND- ISI MARK				1.1/4"		
					1.1/2"		
					2"		
					1/2"		
					3/4"		
56	G I UNION ISI-MARK				1"		
					1.1/4"		
					1.1/2"		
					2"		
					1/2"		
57	G I TEE ISI-MARK				1/2"		
					3/4"		
					3/4" x1/2"		
					1"		
					1" x 3/4"		
					1.1/4"		
					1 1/4" x3/4"		
					1 1/4" x1"		
1.1/2"							
2"							

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
58	G I REDUSER ISI-MARK				3/4" X1/2"		
					1" X 1/2"		
					1.1/4"X 1"		
					1.1/4"X3/4"		
					2" X 11/2"		
					2" X 11/4"		
59	G I REDUCER ELBOW - ISI MARK				3/4" x 1/2"		
					1x 1/2"		
					1 1/4" x 1"		
					2"		
					2" X 11/2"		
					2" X 11/4"		
60	G I REDUCER CALLER ISI MARK				3/4" x 1/2"		
					1x 1/2"		
					1 1/4" x 1"		
					1" X 3/4"		
					2"		
					2" X 11/2"		
61	G I REDUCER ELBOW ISI MARK				3/4" x 1/2"		
					1x 1/2"		
					1 1/4" x 1"		
					1" X 3/4"		
					2"		
					2" X 11/2"		
62	PVC PIPE 4 KG Prasar - ISI MARK				1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
					2"		
63	PVC PIPE 6KG Prasar - ISI MARK				2 1/2"		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
64	PVC COLLORS-ISI MARK				2"		
					2 1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
65	PVC TEE-ISI MARK				2"		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
66	PVC ELBOW-ISI MARK				2"		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
67	PVC BEND-ISI MARK				2"		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
68	PVC REDUCAR CALLER - ISI MARK				2"		
					2 1/2"		
					1/2"		
					3/4"		
					1"		
					1.1/4"		
69	PVC END CAP-ISI MARK				1.1/2"		
					2"		
					2 1/2"		
					1/2"		
					3/4"		
					1"		
70	PVC REDUCER -ISI MARK				1.1/4"		
					1.1/2"		
					2"		
					2 1/2"		
					1/2"		
					3/4"		
71	PVC Union - ISI MARK				1"		
					1.1/4"		
					1.1/2"		
					2"		
					2 1/2"		
					1/2"		
72	PVC- MTA/FTA ISI MARK				3/4"		
					1"		
					1.1/4"		
					1.1/2"		
					2"		
					2 1/2"		
73	UG CABLE - UNDER GROUND(Alluminium) - 4 CORE - 10SqMM	FINOLEX		JONSON		KOTARI	
	UG CABLE - UNDER GROUND(Alluminium) - 4 CORE-10Sq MM	V-GUARD					
74	COPPER WIRE MULTY STAND	FINOLEX			3 Sq MM		
					2.5 Sq MM		
					1.5 Sq MM		
					1 Sq MM		
					4 Sq MM		
					6 Sq MM		
75	COPPER WIRE MULTY STAND	JONSON			3 Sq MM		
					2.5 Sq MM		
					1.5 Sq MM		
					1 Sq MM		
					4 Sq MM		
					6 Sq MM		
76	COPPER WIRE MULTY STAND	KOTARI			3 Sq MM		
					2.5 Sq MM		
					1.5 Sq MM		
					1 Sq MM		
					4 Sq MM		
					6 Sq MM		
77	COPPER WIRE MULTY STAND	V. GUARD			3 Sq MM		
					2.5 Sq MM		
					1.5 Sq MM		
					1 Sq MM		
					4 Sq MM		
					6 Sq MM		

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
78	FLEXIBLE WIRE COPPER	2.5 Sq MM	FINOLEX		JONSON		
		1.5 Sq MM					
		1 Sq MM					
79	FLEXIBLE WIRE COPPER	2.5 Sq MM	KOTARI		V. GUARD		
		1.5 Sq MM					
		1 Sq MM					
80	3 CORE WIRE FLEXIBLE	2.5 Sq MM	FINOLEX		JONSON		
		1.5 Sq MM					
		1 Sq MM					
81	3 CORE WIRE FLEXIBLE	2.5 Sq MM	KOTARI				
		1.5 Sq MM					
		1 Sq MM					
82	2 CORE WIRE FLEXIBLE	2.5 Sq MM	FINOLEX		JONSON		
		1.5 Sq MM					
		1 Sq MM					
83	2 CORE WIRE FLEXIBLE	2.5 Sq MM	V. GUARD		KOTARI		
		1.5 Sq MM					
		1 Sq MM					
84	EARTHING WIRE GI	GI COPPER					
85	15 AMPS D.P. SWITCH	CONA					
86	32 AMPS FUSE	CONA					
87	INSULATION TAPE	WANDER					
88	63 AMPS FUSE						
89	15 AMPS SWITCH AND SOCKETS	ANCHOR					
		CEEMA					
90	15 AMPS SWITCH	ANCHOR					
		CEEMA					
91	ANGLE OR BATON G.I. HOLDER	ANCHOR					
		CEEMA					
92	CFL BULBS	CEEMA			18 w		
		NANDI			18w		
		SURYA			18 w		
93	CFL BULBS	CEEMA			36 w		
		SURYA			36 w		
		NANDI			36W		
94	CFL BULBS	CEEMA			11w		
		SURYA			11w		
		NANDI			11w		
95	6 Q MM MAINS WIRE	FINOLEX					
96	CHAIN INSULATOR						
97	GI WIRE						
98	STREET LIGHT FOR TUBE LIGHTS FITTINGS	Nandi					
		PHILIPS					
99	BINDING WIRE						
100	20 AMPS MCB						
101	PENDENT HOLDER						
102	2" NAILS						
103	1 1/2" NAILS				BOX		
104	1 1/2" WOODEN SCREW				1 Box		
105	1" WOODEN SCREW				1 bOX		
106	3/4" WOODEN SCREW						
107	CFL LIGHT FITTINGS						
108	CFL PIN TYPE BULB LIGHT FITTING						
109	250 MARCURY LIGHT FITTING						
110	FAN REWINDING						
111	FAN CAPACITOR						
112	EXTENTION BOX						
113	SUBMORSIBLE MOTOR ISI MARK	TEXMO			7.5 H.P		
		SUGUNA			7.5 H.P		
		UNNATI			7.5 H.P		

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
114	WINDING MOTORS	7.5 MOTAR SUGUNA MONOBLOCK					
		6 HP MOTOR WINDING S.I.P					
		7.5HP MOTOR WINDING S.I.P					
		1 HP MOTOR WINDING GRINDER					
		1/2 HP MOTOR WINDING GRINDER					
115	SUBMORSIBLE PUMP- ISI MARK	6 STAGE					
		12 STAGE					
		13 STAGE					
		18 STAGE					
		21 STAGE					
		22 STAGE					
116	3/4" TAPS BRASS ISI MARK	(HALF TURN)			LIGHT		
					MEDIUM		
117	3/4" TAPS BRASS ISI MARK	(FULL TURN)			HEAVY		
					LIGHT		
118	1/2" TAPS BRASS ISI MARK	(HALF TURN)			MEDIUM		
					HEAVY		
119	1/2" TAPS BRASS ISI MARK	(FULL TURN)			LIGHT		
					MEDIUM		
120	1/2" TAPS STEEL S.S ISI MARK	(HALF TURN)			HEAVY		
					LIGHT		
121	S W R PIPE ISI MARK				MEDIUM		
					HEAVY		
					9 " 1 Length		
					6" 1 length		
122	Bowl WALL PVC(HEAVY)- ISI MARK				4" 1 Length		
					2" 1 Length		
					1"		
					1.1/4"		
					1.1/2"		
					2"		
123	BRASS GATE VALVE - ISI MARK				2.1/2"		
					3"		
					3/4"		
					1/2"		
					1"		
					1.1/4"		
					1.1/2"		
					1.3/4"		
124	BRASS FLOAT VALVE- ISI MARK				2"		
					1"		
125	ALUMINIUM WIRE for LT LINE - 2 SR						
126	ALUMINIUM WIRE for LT LINE - 4 SR						
127	ALLUMINIUM RABBIT WIRE						
128	PIN INSULATOR - ISI						
129	P.G. CLAMPN ISI						
130	G I NIPPAL - ISI				1/2"		
					3/4"		
					1.1/4"		
					2"		
					2.1/2"		
		1/2" x 3"					
131	Wash Basin Connection Pipe -ISI						

Sl.No	Description	Specification	RATE		Approximate requirement		RATE
132	Wash Basin Waste Water Connection pipe ISI MARK						
133	Wash Basin Couplings - ISI MARK						
134	G I PIPE - ISI MARK	TATA			1/2"		
					3/4"		
					1"		
					1.1/4"		
					1.1/2"		
					2"		
135	Wash Basin Taps ISI MARK	1/2"					
136	GEYSER CONNECTION PIPE FOR HOT WATER	1/2"					
137	GEYSER CONNECTION PIPE FOR COLD WATER	1/2"					
138	CPVC Pipe ISI MARK	1"					
139	CPVC Pipe ISI MARK	3/4"					
140	CPVC Pipe ISI MARK	1/2"					
141	CPVC Pipe Elbow- ISI MARK	3/4"					
		1/2"					
		1/4"					
142	CPVC CALLAR - ISI MARK	1"					
		3/4"					
		1/2"					
143	CPVC REDUCER ISI MARK	1"x1/2"					
		3/4"x1/2"					
144	ELBOW- ISI MARK	1x3/4"					
145	CPVC Reducer Callar - ISI MARK	1:X3/4"					
		3"X1/2"					
		1"X1/2"					
146	C. PVC Gum 100 Gram	100 Gram					
147	CEMENT	ACC					
		PENNA SURAKSHA					
		BIRLA PLUS					

I have read the terms & conditions of Jawahar Navodaya Vidyalaya, Chikkajogihalli, Bellary district, for the supply of the above items & accepted the same.

Also iam here with enclosing a Demand draft bearing No. _____ dated _____ for Rs.10,000/- towards EMD

DATE: _____ SIGN. OF THE PROPRIETOR/MANAGER _____
NAME: _____
FIRM SEAL _____

FOR OFFICE USE ONLY

PAC 1.....2.....3.....4.....5.....