

**JAWAHAR NAVODAYA VIDYALAYA, CHIKKAJOGIHALLI. KUDLIGI TQ. BELLARY DIST
TENDER FORM FOR ELECTRICAL & PLUMBING ITEMS FOR 2017-2018**

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|-------------------------------|---------------|-------------------------|----------|------|
| 1 | TUBES | PHILIPS | 40 W | 1 NO | |
| | | CROMPTON | 40 W | 1 NO | |
| 2 | BULBS | PHILIPS | 25 W | 1 NO | |
| | | | 40 W | 1 NO | |
| | | | 60 W | 1 NO | |
| | | | 0 W | 1 NO | |
| | BULBS | CROMPTON | 25 W | 1 NO | |
| | | | 40 W | 1 NO | |
| | | | 60 W | 1 NO | |
| | | | 0 W | 1 NO | |
| 3 | STARTERS | PHILIPS | | 1 NO | |
| | | Mysore | | 1 NO | |
| | | CORMPTION | | 1 NO | |
| 4 | TUBE LIGHT FITTINGS | PHILIPS | ONE SET | 1 SET | |
| | | Mysore | | 1 SET | |
| | | CROMPTON | | 1 SET | |
| 5 | TUBE LIGHT SIDE HOLDERS | CROMPTON | | 1 NO | |
| | | PHILIPS | | 1 NO | |
| 6 | STARTER BASE | PHILIPS | | 1 NO | |
| 7 | CHOWKS | PHILIPS | HEAVY DUTY COPPER | 1 NO | |
| | | Mysore | | 1 NO | |
| | | CROMPTON | | 1 NO | |
| 8 | CHOWKS S.T.P | PHILIPS | HEAVY DUTY | 1 NO | |
| | | CROMPTON | | 1 NO | |
| 9 | 125 M.V. CHOWKS | PHILIPS | 125 M.V. | 1 NO | |
| | | CROMPTON | 125 M.V. | 1 NO | |
| 10 | STREET LIGHT FITTINGS 125 M.V | PHILIPS | 125 M.V. | 1 NO | |
| | | Mysore | 125 M.V. | 1 NO | |
| | | CROMPTON | 125 M.V. | 1 NO | |
| 11 | 125 M.V. BULBS | PHILIPS | 125 MV | 1 NO | |
| | | Mysore | 125 MV | 1 NO | |
| | | CROMPTON | 125 MV | 1 NO | |
| 12 | G.I. COLLORS | ISI MARK | 1/2" | 1 NO | |
| | | | 3/4" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1.1/4" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" Heavy | 1 NO | |
| 13 | G.I. ELBOW | ISI MARK | 3/4" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1.1/4" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" Heavy | 1 NO | |
| | | | 1/2" | 1 NO | |
| 14 | G I PLUG | ISI MARK | 3/4" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1.1/4" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" | 1 NO | |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|----------------------|---------------|-------------------------|----------|------|
| | | | 1/2" | 1 NO | |
| 15 | G I UNION | ISI MARK | 3/4" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1.1/4" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 1/2" | 1 NO | |
| 16 | G I TEE | ISI MARK | 3/4" | 1 NO | |
| | | | 3/4" x1/2" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1" x 3/4" | 1 NO | |
| | | | 1. 1" | 1 NO | |
| | | | 1 1/4"x3/4" | 1 NO | |
| | | | 1 1/4" x1" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" | 1 NO | |
| 17 | G I REDUSES | ISI MARK | 3/4" X1/2" | 1 NO | |
| | | | 1" X 1/2" | 1 NO | |
| | | | 1.1/4"X 1" | 1 NO | |
| | | | 1.1/4"X3/4" | 1 NO | |
| | | | 2" X 1 1/2" | 1 NO | |
| | | | 2" X 1 1/4" | 1 NO | |
| | | | 2" X 1" | 1 NO | |
| 18 | G I REDUCER ELBOW | ISI MARK | 1x 1/2" | 1 NO | |
| | | | 1 1/4" x 1" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2" X 1 1/2" | 1 NO | |
| | | | 2" X 1 1/4" | 1 NO | |
| | | | 2" X 1" | 1 NO | |
| | | | 3/4" x 1/2" | 1 NO | |
| 19 | G I REDUCER CALLER | ISI MARK | 1x 1/2" | 1 NO | |
| | | | 1 1/4" x 1" | 1 NO | |
| | | | 1" X 3/4" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2" X 1 1/2" | 1 NO | |
| | | | 2" X 1 1/4" | 1 NO | |
| | | | 2" X 1" | 1 NO | |
| | | | 3/4" x 1/2" | 1 NO | |
| 20 | G I REDUCER TEE | ISI MARK | 1"x 1/2" | 1 NO | |
| | | | 1 1/4" x 1" | 1 NO | |
| | | | 1" X 3/4" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2" X 1 1/2" | 1 NO | |
| | | | 2" X 1 1/4" | 1 NO | |
| | | | 2" X 1" | 1 NO | |
| 21 | PVC PIPE 4 KG Prasar | ISI MARK | 3/4" | 1 LENTH | |
| | | | 1" | 1 LENTH | |
| | | | 1.1/4" | 1 LENTH | |
| | | | 1.1/2" | 1 LENTH | |
| | | | 2" | 1 LENTH | |
| | | | 2 1/2" | 1 LENTH | |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|---------------------|---------------|-------------------------|----------|------|
| | | | 1/2" | 1 LENTH | |
| 22 | PVC PIPE 6KG Prasar | ISI MARK | 3/4" | 1 LENTH | |
| | | | 1" | 1 LENTH | |
| | | | 1.1/4" | 1 LENTH | |
| | | | 1.1/2" | 1 LENTH | |
| | | | 2" | 1 LENTH | |
| | | | 2 1/2" | 1 LENTH | |
| | | | 3/4" | 1 LENTH | |
| 23 | PVC COLLORS | ISI MARK | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| | | | 1/2" | 1 NO. | |
| 24 | PVC TEE | ISI MARK | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| 26 | PVC ELBOW | ISI MARK | 1/2" | 1 NO. | |
| | | | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| 25 | PVC BEND | ISI MARK | 1/2" | 1 NO. | |
| | | | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| | | | 2 1/2" | 1 NO. | |
| 26 | PVC REDUCAR CALLER | ISI MARK | 1/2" | 1 NO. | |
| | | | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| | | | 2 1/2" | 1 NO. | |
| 27 | PVC END CAP | ISI MARK | 1/2" | 1 NO. | |
| | | | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |
| | | | 2 1/2" | 1 NO. | |
| 28 | MTA/FTA | ISI MARK | 1/2" | 1 NO. | |
| | | | 3/4" | 1 NO. | |
| | | | 1" | 1 NO. | |
| | | | 1.1/4" | 1 NO. | |
| | | | 1.1/2" | 1 NO. | |
| | | | 2" | 1 NO. | |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|---------------------------------------|---------------|-------------------------|----------|------|
| | | | 2 1/2" | 1 COIL | |
| 29 | COPPER WIRE | FINOLEX | 2.5" | 1 COIL | |
| | | JONSON | 1.1/18 MTR. | 1 COIL | |
| | | V. GUARD | | 1 COIL | |
| 30 | FLEXIBLE WIRE | FINOLEX | 3/20" | 1 COIL | |
| | | JONSON | 3/20" | 1 COIL | |
| | | V. GUARD | 7/2" | 1 COIL | |
| | | FINOLEX | 40/60" | 1 COIL | |
| 31 | 10 SQ MM 2 CORE UG CABLE PER METER | | 2 CORE | PER MTR | |
| | 10 SQ MM 4 CORE UG CABLE PER METER | | 4 CORE | PER MTR | |
| | 20 SQ MM 2 CORE UG CABLE | | 2 CORE | PER MTR | |
| | 20 SQ MM 4 CORE UG CABLE | | 4 CORE | PER MTR | |
| 32 | CABLE GLAND | | | PER NO | |
| 33 | CABLE SEAL | | | PER KG | |
| 34 | FLEXIBLE WIRE | V. GUARD | 14 G | 1 COIL | |
| | | V. GUARD | 3/20" | 1 COIL | |
| | | V. GUARD | 7/2" | 1 COIL | |
| | | V. GUARD | 40/60" | 1 COIL | |
| 35 | EARTHING WIRE GI | GI | 14 G | PER KG | |
| | | COPPER | 14 g | PER KG | |
| 36 | 15 AMPS D.P. SWITCH | CONA | | 1 NO | |
| 37 | 32 AMPS FUSE | CONE | | 1 NO | |
| 38 | INSULATION TAPE | WANDER | | 1 NO | |
| 39 | 63 AMPS FUSE | CONE | | 1 NO | |
| 40 | 15 AMPS SWITCH AND SOCKETS | ANCHOR | | 1 NO | |
| | | CEEMA | | 1 NO | |
| 41 | 15 AMPS SWITCH | ANCHOR | | 1 NO | |
| | | CEEMA | | 1 NO | |
| 42 | ANGLE OR BATON HOLDER | ANCHOR | | 1 NO | |
| | G.J. HOLDER | CEEMA | | 1 NO | |
| 43 | CFL BULBS | Philips | 36W | 1 NO | |
| | CFL BULBS | Philips | 11 W | 1 NO | |
| | CFL BULBS | Philips | 18 W | 1 NO | |
| 44 | CFL BULBS | crompton | 36W | 1 NO | |
| | CFL BULBS | crompton | 11 W | 1 NO | |
| | CFL BULBS | crompton | 18 W | 1 NO | |
| 45 | 6 Q MM MAINS WIRE | FINOLEX | | PER MTR | |
| 46 | CHAIN INSULATOR | | | PER NO | |
| 47 | GI WIRE | | | PER KG | |
| 48 | STREET LIGHT FOR TUBE LIGHTS FITTINGS | Nandi | | 1 SET | |
| | | PHILIPS | | 1 SET | |
| 49 | BINDING WIRE | GOOD QUALITY | | PER KG | |
| 50 | 20 AMPS MCB | | | PER NO | |
| 51 | PENDENT HOLDER | | | 1 NO | |
| 52 | 2" NAILS | GOOD QUALITY | | PER KG | |
| 53 | 1 1/2" NAILS | GOOD QUALITY | BOX | PER KG | |
| 54 | 1 1/2" WOODEN SCREW | GOOD QUALITY | 1 Box | 1 BOX | |
| 55 | 1" WOODEN SCREW | GOOD QUALITY | 1 bOX | 1 BOX | |
| 56 | 3/4" WOODEN SCREW | GOOD QUALITY | | 1BOX | |
| 57 | CFL LIGHT FITTINGS | | | 1 SET | |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|---------------------------------|------------------------------|-------------------------|----------|------|
| 58 | CFL PIN TYPE BULB LIGHT FITTING | PHILIPS | 1 NO | 1 SET | |
| 59 | 250 MERCURY LIGHT FITTING | PHILIPS | 1 NO | 1 SET | |
| 60 | FAN REGULATARS | | | 1 NO | |
| 61 | FAN REWINDING | USHA | 1 NO | 1 NO | |
| 62 | FAN CAPACITOR | USHA | | 1 NO | |
| 63 | EXTENTION BOX | USHA | 7.5 H.P | 1 NO | |
| 64 | SUBMORSIBLE MOTOR | TEXMO | 7.5 H.P | 1 NO | |
| | | SUGUNA | 7.5 H.P | 1 NO | |
| | | UNNATI | 7.5 H.P- | 1 NO | |
| 65 | WINDING MOTORS | 7.5 MOTAR SUGUNA MONOBLOCK | | 1 NO | |
| | | 6 HP MOTOR WINDING S.I.P | | 1 NO | |
| | | 7.5HP MOTER WINDING S.I.P | | 1 NO | |
| | | 1 HP MOTOR WINDING GRINDER | | 1 NO | |
| | | 1/2 HP MOTOR WINDING GRINDER | | 1 NO | |
| | | 7.5 H.P- | | 1 NO | |
| 66 | WINDING MOTORS | 7.5 MOTAR SUGUNA MONOBLOCK | | 1 NO | |
| | | 6 HP MOTOR WINDING S.I.P | | 1 NO | |
| | | 7.5HP MOTER WINDING S.I.P | | 1 NO | |
| | | 1 HP MOTOR WINDING GRINDER | | 1 NO | |
| | | 1/2 HP MOTOR WINDING GRINDER | | 1 NO | |
| 67 | SUBMORSIBLE PUMP | 6 STAGE | | 1 NO | |
| | | 12 STAGE | | 1 NO | |
| | | 13 STAGE | | 1 NO | |
| | | 18 STAGE | | 1 NO | |
| | | 21 STAGE | | 1 NO | |
| | | 22 STATE | | 1 NO | |
| 68 | 32 AMPS STAR DELT STARTER | ISI MARK | LTLK | 1 SET | |
| | 32 AMPS SINGAL STARTER | ISI MARK | LTLK | 1 SET | |
| | STARTER BLADE KIT | ISI MARK | LTLK | 1 SET | |
| 69 | 3/4" TAPS BRASS | (HALF TURN) | HEAVY | 1 NO | |
| | | | LIGHT | 1 NO | |
| | | | MEDIUM | 1 NO | |
| | | | HEAVY | 1 NO | |
| 70 | 3/4" TAPS BRASS | (FULL TURN) | LIGHT | 1 NO | |
| | | | MEDIUM | 1 NO | |
| | | | HEAVY | 1 NO | |
| 71 | 1/2" TAPS BRASS | (HALF TURN) | LIGHT | 1 NO | |
| | | | MEDIUM | 1 NO | |
| | | | HEAVY | 1 NO | |
| 72 | 1/2" TAPS BRASS | (FULL TURN) | LIGHT | 1 NO | |
| | | | MEDIUM | 1 NO | |
| | | | HEAVY | 1 NO | |
| 73 | 1/2" TAPS STEEL S.S | (HALF TURN) | LIGHT | 1 NO | |
| | | | MEDIUM | 1 NO | |
| | | | HEAVY | 1 NO | |
| 74 | S W R PIPE | ISI MARK | 4" | 1 Length | |
| | | | 6" | 1 Length | |
| | | | 9 " | 1 Length | |
| | | | 1/2" Bend | 1 NO | |
| | | | 1" Bend | 1 NO | |
| | | | 3/4" Bend | 1 NO | |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|--|------------------|-------------------------|----------|------|
| 75 | BEND | PVC ISI MARK | 1" Bend | 1 NO | |
| | | | 1 1/2" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2 1/2" | 1 NO | |
| 76 | Bowl WALL PVC(HEAVY) | PVC ISI MARK | 1" | 1 NO | |
| | | | 1.1/4" | 1 NO | |
| | | | 1.1/2" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2.1/2" | 1 NO | |
| | | | 3" | 1 NO | |
| 77 | BRASS GATE VALVE | PVC ISI MARK | 1.1/4" | 1 NO | |
| | | | 2" | 1 NO | |
| | | | 2.1/2" | 1 NO | |
| | | | 3/4" | 1 NO | |
| 78 | GATE BALL VALVE | PVC ISI MARK | 1/2" | 1 NO | |
| | | | 3/4" | 1 NO | |
| | | | 1" | 1 NO | |
| | | | 1 1/4" | 1 NO | |
| 79 | BRASS FLOAT VALVE | PVC ISI MARK | 1" | 1 NO | |
| | | | GI | 1 NO | |
| 80 | STREET LIGHT BEND GI | CONCRETE POLE | | PER NO | |
| 81 | STREET LIGHT CLAMP STEEL | | | 1 NO | |
| 82 | ALUMINIUM cable for LT LINE | 4 SR/ RABIT WIRE | | PER MTR | |
| 83 | PIN INSULATAR | | | PER NO | |
| 84 | P.G. CLAMP | | | PER NO | |
| 85 | G I NIPPAL | ISI MARK | 3/4" | PER NO | |
| | | | 1/2" | PER NO | |
| | | | 1.1/4" | PER NO | |
| | | | 2" | PER NO | |
| | | | 2.1/2" | PER NO | |
| | | | 1/2" x 3" | PER NO | |
| 86 | Wash Basin Connection Pipe | | 3" | PER NO | |
| | | | | PER NO | |
| | | | | PER NO | |
| | | | | PER NO | |
| | | | | PER NO | |
| | | | | PER NO | |
| | | | | PER NO | |
| 87 | wash Basin Waste Water Connection pipe | | | PER NO | |
| 88 | Wash Basin Couplings | | | PER NO | |
| 89 | G I PIPE TATA | TATA ISI MARK | 1/2" | PER L | |
| | | | 3/4" | PER L | |
| | | | 1" | PER L | |
| | | | 1.1/4" | PER L | |
| | | | 1.1/2" | PER L | |
| | | | 2" | PER L | |
| | | | 3" | PER L | |
| 90 | Wash Basin Taps | 1/2" | 1' Length Prince | PER NO | |
| 91 | CPVC Pipe | 3/4" | 1 Length Prince | PER L | |
| 92 | CPVC Pipe | 1" | PRINCE | 1 PER L | |
| 93 | CPVC FTA | | 1" | prince | 1 NO |
| | | | 3/4" | prince | 1 NO |
| | | | 1/2" | prince | 1 NO |
| 94 | CPVC MTA | | 1" | prince | 1 NO |
| | | | 3/4" | prince | 1 NO |

| Sl.No | Description | Specification | Approximate requirement | PER UNIT | RATE |
|-------|---------------------|----------------|-------------------------|----------|------|
| | | 1/2" | prince | 1 NO | |
| 95 | CPVC PLUGE | 1" | prince | 1 NO | |
| | | 3/4" | prince | 1 NO | |
| | | 1/2" | prince | 1 NO | |
| 96 | CPVC NIPPAL | 1/2" | prince | 1 NO | |
| | | 3/4" | prince | 1 NO | |
| | | 1" | prince | 1 NO | |
| 97 | CPVC TEE | 1/2" | prince | 1 NO | |
| | | 3/4" | prince | 1 NO | |
| | | 1" | prince | 1 NO | |
| 98 | CPVC TEE REDUSAR | 1"x1/2" | prince | 1 NO | |
| | | 3/4"x1/2" | prince | 1 NO | |
| | | 1x3/4" | prince | 1 NO | |
| 99 | CPVC Elbow | 3/4" | prince | 1 NO | |
| | | 1/2" | prince | 1 NO | |
| | | 1" | prince | 1 NO | |
| 100 | CPVC CALLAR | 1" | prince | 1 NO | |
| | | 3/4" | prince | 1 NO | |
| | | 1/2" | prince | 1 NO | |
| 101 | C PVC REDUCER | 1"x1/2" | prince | 1 NO | |
| | | 3/4"x1/2" | prince | 1 NO | |
| | | 1x3/4" | prince | 1 NO | |
| 102 | CPVC Reducer Callar | 1:X3/4" | prince | 1 NO | |
| | | 3/4"X1/2" | prince | 1 NO | |
| | | 1"X1/2" | prince | 1 NO | |
| 103 | C. PVC Gum 100 Gram | 100 Gram | prince | 1 NO | |
| 104 | CEMENT | ACC | 50 KG BAG | PER BAG | |
| | | PENNA SURAKSHA | 50 KG BAG | PER BAG | |
| | | BIRLA PLUS | 50 KG BAG | PER BAG | |

* The Rate Quoted should include charges of packing, forwarding, all taxes, VAT if any & upto door delivery

I have read the terms and conditions of Jawahar Navodaya Vidyalaya, Chikkajogihalli, Dist. Bellary for the supply of above items and accepted the same.

Also, I am enclosing herewith a Demand draft bearing No. _____ dated _____ for Rs. 10,000/- towards EMD.

Date: _____

(Signature of the proprietor/Manager)

Name: _____

Firm Seal :